



G-BOARD
PLAYFUL MINIMALISM

G-BOARD CATALOGUE 2022

ENGLISH

All technical information and values (e.g. lumen, output, beam angle or dimensions) correspond to the printing date or the creation date of this document and will not necessarily be updated. All changes and adaptations that serve to improve our products can be carried out without prior notice.

The latest data sheets can be configured at www.prolicht.at

PROLICHT MAKES A DIFFERENCE



Wenn Sie Ihren anspruchsvollen Kunden maßgeschneiderte High-Tech-Qualitätsprodukte versprechen, können Sie diese nicht irgendwo herstellen lassen. Wir fertigen unsere Produkte dort, wo die bestausgebildeten Techniker, Ingenieure und Designer zu Hause sind: mitten in den Tiroler Alpen.

Schließlich ist es ihr Können, das den Unterschied macht. Und es ist ihre Kompetenz, die PROLICHT zu einem der weltweit erfolgreichsten Premiumhersteller für architektonische Lichtkonzepte gemacht hat. Nachhaltig produziert und maßgeschneidert in der Mitte Europas, im Herzen der Tiroler Alpen.



G-BOARD




**TOM
DIXON**
× **PROLICHT**



G-BOARD ROUND

**TOM
DIXON**
× **PROLICHT**




G-BOARD ROUND PLAY

G-BOARD


Kinetically graphic light compositions.

The modular ceiling elements G-50 BOARD are surface-mounted and can hold up to four SNOOKER or HANGOVER lights with GRAVITY LIFT for flexible height adjustment of the lights. Combined with each other, the G-50 BOARDS transform any ceiling into a graphic pattern. Covers are available for openings in which no luminaire is installed.


2 SHAPES



G-BOARD



G-BOARD ROUND



G-BOARD ROUND PLAY

4 INSERTS



SNOOKER



HANGOVER



MELT MINI | Tom Dixon




OPAL 25 | Tom Dixon

COLOR MAKES A DIFFERENCE


Unique colors and finishes, with infinite combinations, enable a holistic interior design concept to be completed or certain highlights to be created with our 25 PROLICHT colors. RAL Classic or any other special color is available on request.










G-BOARD



With our GRAVITY LIFT system the height and position of the pendant luminaires can be adjusted in the easiest and most flexible way. Variable arrangements create new spatial structures and light compositions, time and time again. The illumination can be adjusted to changing requirements of flexible spaces without the need for any tools.



MOUNTING OPTION: SURFACE AND SUSPENDED MOUNTING















G-BOARD ROUND G-BOARD ROUND PLAY








G-BOARD ROUND





G-BOARD ROUND PLAY

G-BOARD ROUND

As a single element, in a dual combination, as a strict geometrical shape or as an endless flowing arrangement: Our new G-BOARD ROUND and ROUND PLAY set no boundaries to your creativity. In addition to our powerful SNOOKER and INVADER HANGOVER inserts, the lighting system can now also be furnished with the iconic MELT and OPAL pendants by Tom Dixon to offer even more possibilities to create the lighting atmosphere you need.






MOUNTING: SURFACE MOUNTING ONLY







G-BOARD | MODELLING WITH CRAVITY LIFT

WITH GRAVITY LIFT the height and position of the spherical luminaires can be adjusted easily and flexibly. The variable arrangements (MODELLING, SERVING) create new spatial structures, time and time again. All the inserts consequently respond wonderfully to changing lighting requirements.





PHOTO | ARMIN KUPRIAN

SNOOKER SHINE: 02 BLACK VELVET | SHINE RING WHITE


INSERTS



PHOTO | ARMIN KUPRIAN

SNOOKER SHINE: COLOR 03 CRYSTAL WHITE | SHINERING RING WHITE

SNOOKER



SNOOKER

Ø 72 mm

LUMEN MAX.

352 lm

WATT

6.5 W

CCT

2700 K

3000 K

4000 K

BEAMWIDTH



MEDIUM

32°



VERY WIDE FLOOD

58°

25 PROLICHT COLORS

CAN HAVE ACCESSORY | SHINE RING



WHITE



YELLOW



ORANGE



RED



BLUE



GREEN



RAL Classic or any other special color on request



PHOTO | STUDIO KERSCHBAUM

SNOOKER, COLOR 27 COPPER MINE, SHINE RING WHITE | SNOOKER, COLOR 29 JAZZ GOLD







PHOTO | ARMIN KUPRIAN

SNOOKER METAL CHROME | SHINE RING WHITE

SNOOKER METAL



SNOOKER METAL

Ø 72 mm

LUMEN MAX.

352 lm

WATT

6.5 W

CCT

2700

3000 K

4000

BEAMWIDTH



MEDIUM

32°



VERY WIDE FLOOD

58°

SNOOKER METAL

CHROME



CAN HAVE ACCESSORY | SHINE RING



WHITE



YELLOW



ORANGE



RED



BLUE




GREEN



PHOTO | ARMIN KUPRIAN

HANGOVER SHINE: COLOR 25 GUN METAL, SHINE RING: WHITE | HANGOVER KORONA, COLOR 27 COPPER MINE


HANGOVER



HANGOVER PLUG 30

Ø 28 mm L: 300 | 450 mm

LUMEN MAX.		
370 lm		
WATT		
6.5 W		
CCT		
2700 K	3000 K	4000 K
BEAMWIDTH		
		
SPOT 24° up to VERY WIDE FLOOD 58°		
25 PROLICHT COLORS		



HANGOVER PLUG 40

Ø 40 mm L: 150 | 300 mm

LUMEN MAX.		
868 lm		
WATT		
9.8 W		
CCT		
2700 K	3000 K	4000 K
BEAMWIDTH		
		
FLOOD 40° and WIDE FLOOD 50°		
25 PROLICHT COLORS		




HANGOVER PLUG 75

Ø 75 mm L: 150 mm

LUMEN MAX.		
788 lm		
WATT		
9.7 W		
CCT		
2700 K	3000 K	4000 K
BEAMWIDTH		
		
SUPER SPOT 9° up to FLOOD 39°		
25 PROLICHT COLORS		

CAN HAVE ACCESSORY HANGOVER 30 & 40 | SHINE RING (not available for MICRO DOT)



RAL Classic or any other special color on request




STADTGALLERIE SCHWAZ | PHOTO: SIMON FISCHBACHER

HANGOVER | COLOR 02 BLACK VELVET | CORONA CONE 02 BLACK VELVET



KORONA CONE

The deep reflector directs the light effectively past the cone without changing the light color. The cone can be customized in any of the 25 PROLICHT colors.




SHINE RING

The luminaire can also be equipped with a luminous ring in one of 6 differ colors. KORONA SHINE creates colorful accents and atmospheric HIGHLIGHTS.

MICRO DOT

The integrated lens optics allow beam angles between 24° and 58°. The available variants with MICRO DOT technology offer maximum effects. JUST LIGHT - NO GLARE.



TOM
DIXON
× PROLICHT



MELT MINI



MELT MINI

DIMENSION	
	Ø 280 mm
LUMEN MAX.	
	234 lm
WATT	
	8 W
CCT	
	3000 K

COLOR				
				ON
				OFF
CHROME -CH	COPPER -CO	GOLD -GO	SMOKE -SM	

TOM
DIXON
× PROLICHT



PHOTO | ARMIN KUPRIAN

MELT MINI | GOLD, COPPER & CHROME



TOM
DIXON
× PROLICHT



PHOTO | TOM DIXON

OPAL 25




OPAL 25

DIMENSION
Ø 250 mm
LUMEN MAX
506 lm
WATT
8 W
CCT
3000 K







THE FUTURE IS NOW!

PROLICHT WORKS WITH MATTER



THE NEW SYMBOL OF CONNECTIVITY!

Imagine a world where all your devices seamlessly work together.

The idea is simple. The impact is powerful.

OUR PRODUCTS ARE READY!

Configure now your MATTER enabled lighting solution.


PROLICHT is offering as one of the first companies in the lighting industry, the standard matter for more than 1.000 light fittings in over 50.000 possible configurations. From now on our downlights, tracks and luminaires can be controlled together with your other devices in your smart home via just one interface.

THE FIRST SMART LIGHTING SHOWROOM IN THE WORLD


Learn about all the ways you can integrate the new standard into your project and make your lighting smart.

You want to visit us? We are looking forward to welcome you in the heart of the Alps!





G-BOARD



G-BOARD

DESCRIPTION	DIMENSION mm	ART.-N°
G-BOARD	745 x 990 H: 50	350-0015


COLOR

25 PROLICHT COLORS




RAL Classic or any other special color on request

TOM
DIXON
× PROLICHT




G-BOARD ROUND

G-BOARD ROUND PLAY



Ø 806



Ø 806

G-BOARD ROUND

DESCRIPTION	DIMENSION mm	LUMEN MAX.	WATT	CRI	ART.-N°
G-BOARD ROUND	Ø 806 H:50				350-0016
G-BOARD ROUND PLAY	Ø 806 H:50				350-0017

COLOR

25 PROLICHT COLORS



RAL Classic or any other special color on request



PHOTO | ARMIN KUPRIAN

SNOOKER



SNOOKER SHINE



CAN-HAVE ACCESSORY: SHINE RING

WHITE



YELLOW



ORANGE



RED



BLUE



GREEN



COLOR TEMPERATURE CCT

2700 K

3000 K

4000 K



BEAMWIDTH

MEDIUM 32° up to VERY WIDE FLOOD 58°



SNOOKER

DESCRIPTION	DIAMETER	CCT / K			LUMEN MAX.	WATT	CRI	ART.-N°
SNOOKER	Ø 72 mm	2700	3500	4000	352	6.5	90	7-02413-02
SNOOKER SHINE	Ø 72 mm	2700	3500	4000	352	6.5	90	7-02413-02

COLOR

25 PROLICHT COLORS



RAL Classic or any other special color on request

PHOTO | ARMIN KUPRIAN



SNOOKER METAL SNOOKER METAL SHINE



CAN-HAVE ACCESSORY: SHINE RING

WHITE YELLOW ORANGE RED BLUE GREEN



COLOR TEMPERATURE CCT

2700 K 3000 K 4000 K



BEAMWIDTH

MEDIUM 32° up to VERY WIDE FLOOD 58°



SNOOKER METAL

CHROME



SNOOKER METAL (CHROME)

DESCRIPTION	DIAMETER	CCT / K			LUMEN MAX.	WATT	CRI	ART.-N°
SNOOKER METAL	Ø 72 mm	2700	3000	4000	352	6.5	90	7-02407-02
SNOOKER METAL SHINE	Ø 72 mm	2700	3000	4000	352	6.5	90	7-02418-02



CHROME | - CH



COPPER | - CO



GOLD | - GO



SMOKE | - SM



ON

OFF

COLOR TEMPERATURE CCT

3000 K

BEAMWIDTH

DIRECT



MELT MINI

DESCRIPTION		DIAMETER	CCT / K	LUMEN MAX.	WATT	CRI	ART.-N° STANDARD	ART.-N° DALI
MELT MINI CHROME	lift included	Ø 280 mm	3000	220	7	80	TD-416-0010CH	TD-416-0012CH
MELT MINI COPPER	lift included	Ø 280 mm	3000	220	7	80	TD-416-0010CO	TD-416-0012CO
MELT MINI GOLD	lift included	Ø 280 mm	3000	220	7	80	TD-416-0010GO	TD-416-0012GO
MELT MINI SMOKE	lift included	Ø 280 mm	3000	220	7	80	TD-416-0010SM	TD-416-0012SM





OPAL 25



COLOR TEMPERATURE CCT

3000 K



BEAMWIDTH

DIRECT



OPAL 25

DESCRIPTION	DIAMETER	CCT / K	LUMEN MAX.	WATT	CRI	ART.-N° STANDARD	ART.-N° DALI
OPAL 25	Ø 250 mm	3000	506	8	80	TD-416-0030OP	TD-416-0032OP





HANGOVER PLUG 30



L: 300 L: 450

HANGOVER PLUG 40



L: 150 L: 300

HANGOVER PLUG 75



L: 150

CAN-HAVE ACCESSORY: SHINE RING



COLOR TEMPERATURE CCT



BEAMWIDTH

SUPER SPOT 9° up to VERY WIDE FLOOD 58°



HANGOVER

DESCRIPTION	DIMENSION / mm				CCT / K			LUMEN MAX.	WATT	CRI	ART.-N° L 150	ART.-N° L 300	ART.-N° L 450
HANGOVER PLUG 30	Ø 28	•	L: 300	L: 450	2700	3000	4000	370	6.5	90	•	810-0381	810-0388
HANGOVER PLUG 40	Ø 40	L: 150	L: 300	•	2700	3000	4000	868	9.8	90	810-0560	810-0570	•
HANGOVER PLUG 75 DIRECT	Ø 75	L: 150	•	•	2700	3000	4000	422	6.5	80	810-0450	•	•
HANGOVER PLUG 75 DIRECT INDIRECT	Ø 75	L: 150	•	•	2700	3000	4000	788	9.7	90	810-0460	•	•

COLOR

25 PROLICHT COLORS



RAL Classic or any other special color on request

G-BOARD | COMPONENTS

ARTICLE	DESCRIPTION	COLOR	ART.-N° STANDARD	ART.-N° DALI
	G-BOARD FOR GRAVITY LIFT	1-29	350-0015	
	G-BOARD ROUND FOR GRAVITY LIFT	1-29	350-0016	
	G-BOARD ROUND PLAY FOR GRAVITY LIFT	1-29	350-0017	
	LINEAR CONNCECTOR	●	350-0019	
	STAR CONNECTOR	●	350-0044	
	MOUNTING AID	●	350-0045	
	COVERAGE SET OF 4 PIECES	1-29	350-0046	

G-BOARD | COMPONENTS

ARTICLE	DESCRIPTION	COLOR	ART.-N° STANDARD	ART.-N° DALI
	POWER SUPPLY UNIT 48 V 150 W	●	14-00527	14-00528
	GRAVITY LIFT 48 V 500 MA	●	810-0290	810-0292
	GRAVITY LIFT MECHANICAL	●	810-0305	
	SNOOKER DECOR	1-29	810-0316	
	HANGOVER PLUG DECOR	1-29	810-0386	
	HANGOVER PLUG DECOR	1-29	810-0393	



**EDITOR**

Filippo Bettinzoli, PROLICHT
PROLICHT GmbH | Austria
6091 Neu-Götzens | Gewerbepark 9
T +43 5234 33 499 | F + 43 5234 33 499 22
marketing@prolicht.at | www.prolicht.at

TECHNICAL SUPPORT

Romain Hoffmann

GRAPHIC DESIGN

Tonia Wiedenmann

TEXT

Julia Kopp

PRODUCT PHOTOS

Armin Kuprian

PRODUCT RENDERINGS

Aurel Petic | BRANDSHOOT | MOZING STUDIO

EDITION

spring 2023



DISCOVER MORE ON
WWW.PROLICHT.AT/CENTRIQ





FOLLOW US ON
INSTAGRAM

WWW.PROLICHT.AT